

Ashton



TOWER
CERAMICS

Ashton

Ashton is a glazed porcelain range that recreates the natural look of stone. Ashton is available in two colours and two sizes in matt finish only.

Both colours compliment each other perfectly for wall and floor combinations to create a warm and natural feel in any space.



The two sizes of 600x600 and 600x1200 are available from stock in matt finish only and can be delivered nationwide within 1-3 days.

Made in Italy.

FORMATS



600x600x9.5mm

Matt



600x1200x9.5mm

Matt

Note : dimensions provided are nominal measurements. Work sizes may deviate from nominal sizes.

COLOURS

White



Grey



Note : colors provided are for illustration purpose only. Actual color may deviate from samples shown.



Grey



White




Grey

GROUT MATCHES



Ashton White
Grout Match
Mapei Ultracolour 103




Ashton grey
Grout Match
Kerakoll Fugabella 05

TRIM MATCHES



Ashton White
Trim Match
Schluter Jolly TSBG



Ashton Grey
Trim Match
Schluter Jolly PG

CLEANING AND MAINTENANCE



Tower Ceramics recommends Fila products to ensure the best results for your installation, from the moment it is finished and for years to come.

Initial clean :

- Product required : For cement-based grout : Fila Deterdek, 1 ltr per 20 sq.m. Dilute 1:5 with water
For epoxy Grout : Fila CR10, 1 ltr per 10 sq.m. Used neat
- Equipment advised : Single disc professional cleaner, liquid vacuum cleaner, bucket, cloths/sponges
- Method : Lightly wet the floor then apply the solution to the floor. Allow to work for 5 minutes then use the disc cleaner to help release the dirt. Remove the solution with the vacuum cleaner, then rinse thoroughly and remove the rinsing water with the vacuum cleaner. Allow to dry.

Standard clean :

- Product required : Fila FilaCleaner. Dilute 1:200 with water
- Equipment advised : Bucket and mop/cloth, although professional equipment will be quicker and more efficient
- Method : Apply the dilute solution over the floor, and remove it with a mop once stains are removed. Rinse if especially dirty. Increase concentration up to 1:30 may be used although this will require rinsing with water.

Intensive clean :

- Product required : Fila PS87. Dilute 1:5 with water
- Equipment advised : Single disc professional cleaner, liquid vacuum cleaner, bucket, cloths/sponges
- Method : Lightly wet the floor then apply the diluted solution to the floor. Allow to work for 5 minutes then use the disc cleaner to help release the dirt. Remove the solution with the vacuum cleaner, then rinse thoroughly and remove the rinsing water with the vacuum cleaner. Allow to dry

Always trial cleaning products/process on a test area first to ensure suitability. For other cleaning issues we recommend the full range of Fila Solutions products. See www.filasolutions.com/eng for a complete list of products, method statements, technical datasheets and safety datasheets.

For any additional technical information please contact our sales office.



TOWER CERAMICS

Showroom and Offices :
89-95 Parkway
Camden Town
London NW1 7PP
www.towerceramics.co.uk

Rev.0425