

Calcario



TOWER
CERAMICS

Calcario

Calcario is a stone effect porcelain range available in three colours in three standard sizes that will create a classic stone look in any room.

Calcario is suitable for floor and wall and is available in 30x60, 60x60 and 60x120 from stock.

Made in Italy



FORMATS



300x600x9.5mm

Matt



600x600x9.5mm

Matt



600x1200x9.5mm

Matt

Note : dimensions provided are nominal measurements. Work sizes may deviate from nominal sizes.

COLOURS

Ivory

Beige

Grey



Beige



Ivory



Grey

GROUT MATCHES



Calcario Beige
Grout Match
Mapei Ultracolor 137



Calcario Ivory
Grout Match
Ardex FS Blossom White



Calcario Grey
Grout Match
Mapei Ultracolor 111

CLEANING AND MAINTENANCE



Tower Ceramics recommends Fila products to ensure the best results for your installation, from the moment it is finished and for years to come.

Initial clean :

- Product required : For cement-based grout : Fila Deterdek, 1 ltr per 20 sq.m. Dilute 1:5 with water
For epoxy Grout : Fila CR10, 1 ltr per 10 sq.m. Used neat
- Equipment advised : Single disc professional cleaner, liquid vacuum cleaner, bucket, cloths/sponges
- Method : Lightly wet the floor then apply the solution to the floor. Allow to work for 5 minutes then use the disc cleaner to help release the dirt. Remove the solution with the vacuum cleaner, then rinse thoroughly and remove the rinsing water with the vacuum cleaner. Allow to dry.

Standard clean :

- Product required : Fila FilaCleaner. Dilute 1:200 with water
- Equipment advised : Bucket and mop/cloth, although professional equipment will be quicker and more efficient
- Method : Apply the dilute solution over the floor, and remove it with a mop once stains are removed. Rinse if especially dirty. Increase concentration up to 1:30 may be used although this will require rinsing with water.

Intensive clean :

- Product required : Fila PS87. Dilute 1:5 with water
- Equipment advised : Single disc professional cleaner, liquid vacuum cleaner, bucket, cloths/sponges
- Method : Lightly wet the floor then apply the diluted solution to the floor. Allow to work for 5 minutes then use the disc cleaner to help release the dirt. Remove the solution with the vacuum cleaner, then rinse thoroughly and remove the rinsing water with the vacuum cleaner. Allow to dry

Always trial cleaning products/process on a test area first to ensure suitability. For other cleaning issues we recommend the full range of Fila Solutions products. See www.filasolutions.com/eng for a complete list of products, method statements, technical datasheets and safety datasheets.

For any additional technical information please contact our sales office.



TOWER CERAMICS

Showroom and Offices :
89-95 Parkway
Camden Town
London NW1 7PP
www.towerceramics.co.uk

Rev.0426