

Tunnel Square



TOWER
CERAMICS

Tunnel Square

Tunnel is a range of glazed porcelain squares with a deep, lush, high-gloss glaze.

Combining seven neutral colors there is scope to use the product as a serene backdrop or a lively feature. A moderate degree of color variation is inherent within the range. The style is compatible with variety of looks, from the traditional to the industrial.


Suitable for floor & wall areas.

All seven colors are available from stock.

Made in Italy



FORMATS



100x100x10mm

Gloss

Note : dimensions provided are nominal measurements. Work sizes may deviate from nominal sizes.



COLORS



Emerald



Ice



Jade



Lagoon



Umber



Peacock



Veridian

Note : colors provided are for illustration purpose only. Actual color may deviate from samples shown.



Emerald



Peacock



Ice



Umber



Jade



Jade & Umber

CLEANING AND MAINTENANCE



Tower Ceramics recommends Fila products to ensure the best results for your installation, from the moment it is finished and for years to come.

Initial clean :

Product required : For cement-based grout : Fila Deterdek, 1 ltr per 20 sq.m. Dilute 1:5 with water
For epoxy Grout : Fila CR10, 1 ltr per 10 sq.m. Used neat

Equipment advised : Single disc professional cleaner, liquid vacuum cleaner, bucket, cloths/sponges

Method : Lightly wet the floor then apply the solution to the floor. Allow to work for 5 minutes then use the disc cleaner to help release the dirt. Remove the solution with the vacuum cleaner, then rinse thoroughly and remove the rinsing water with the vacuum cleaner. Allow to dry.

Standard clean :

Product required : Fila FilaCleaner. Dilute 1:200 with water

Equipment advised : Bucket and mop/cloth, although professional equipment will be quicker and more efficient

Method : Apply the dilute solution over the floor, and remove it with a mop once stains are removed. Rinse if especially dirty. Increase concentration up to 1:30 may be used although this will require rinsing with water.

Intensive clean :

Product required : Fila PS87. Dilute 1:5 with water

Equipment advised : Single disc professional cleaner, liquid vacuum cleaner, bucket, cloths/sponges

Method : Lightly wet the floor then apply the diluted solution to the floor. Allow to work for 5 minutes then use the disc cleaner to help release the dirt. Remove the solution with the vacuum cleaner, then rinse thoroughly and remove the rinsing water with the vacuum cleaner. Allow to dry

Always trial cleaning products/process on a test area first to ensure suitability. For other cleaning issues we recommend the full range of Fila Solutions products. See www.filasolutions.com/eng for a complete list of products, method statements, technical datasheets and safety datasheets.

For any additional technical information please contact our sales office.



TOWER CERAMICS

Showroom and Offices :

89-95 Parkway

Camden Town

London NW1 7PP

www.towerceramics.co.uk

Rev.0126